## IN THE CLAIMS

(Previously Presented) A method performed by at least one information handling system
having a first storage device maintained at a first remote server, the method comprising:

in response to a first command from a first user, retrieving by the first remote server information, about one or more websites, the one or more websites being hosted on one or more second remote servers different from the first remote server;

providing, by the first remote server, a user terminal with an excerpt of the information in an XML-format to allow the user terminal to access one of the one or more websites for display on a user display device;

transmitting, by the first remote server to the user terminal, a list of folders to simultaneously display on the user display device with the excerpt of the XML-formatted information, the list of folders including at least one of a public folder and a group folder,

in response to a second command from the first user, saving in the first remote server the displayed excerpt of the XML-formatted information in a folder that is selected by the first user from among the displayed list of folders; and

in response to a third command from the first user, selectively enabling access to the selected folder including the excerpt of the XML-formatted information, via the first remote server, by one or more second users specified by the first user.

- (Original) The method of claim 1, wherein the one or more second users is a single second user preselected by the first user.
- (Original) The method of claim 1, wherein the one or more second users is a group of second users preselected by the first user.
- (Currently Amended) The method of claim 1, wherein selectively enabling access comprises:

in response to a command from the first user before saving the displayed excerpt, selectively enabling access to the selected folder by <a href="mailto:the.one">the.one</a> or more second users specified by the first user.

 (Currently Amended) The method of claim 1, wherein selectively enabling access comprises:

in response to a command from the first user after saving the displayed excerpt, selectively enabling access to the selected folder by <a href="mailto:the-one">the-one</a> or more second users specified by the first user.

- (Currently Amended) The method of claim 1, [[and]] <u>further</u> comprising: associating other information with the saved excerpt in the folder, so that access to the saved excerpt includes access to the other information.
- 7. (Original) The method of claim 6, wherein the other information has a non-XML format.
- (Original) The method of claim 6, wherein the other information is a human-readable text message.
- (Original) The method of claim 6, wherein the other information is a hyperlink to a
  website.
- (Original) The method of claim 1, wherein saving the displayed excerpt comprises: saving the displayed excerpt of the XML-formatted information in an XML format.
- (Previously Presented) The method of claim 1, wherein displaying the excerpt comprises: displaying the excerpt of the XML-formatted information in a non-XML format.
- 12. (Original) The method of claim 11, wherein the non-XML format is an HTML format.
- 13. (Currently Amended) A system, comprising:

at least one information handling system having a first storage device maintained at a first remote server, the at least one information handling system configured [[for]] to:

Docket No. 104128-213301/US

in response to a first command from a first user, retrieving retrieve by the first remote server information, about one or more websites, the one or more websites being hosted on one or more second remote servers different from the first remote server:

providing provide, by the first remote server, a user terminal with an excerpt of the information in an XML-format to allow the user terminal to access one of the one or more websites for display on a user display device;

transmitting transmit, by the first remote server to the user terminal, a list of folders to simultaneously display on the user display device with the excerpt of the XML-formatted information, the list of folders including at least one of a public folder and a group folder;

in response to a second command from a first user, saving save in the first remote server the displayed excerpt of the XML-formatted information in a folder that is selected by the first user from among the displayed list of folders; and

in response to a third command from the first user, selectively enabling enable access to the selected folder including the excerpt of the XML-formatted information, via the first remote server, by one or more second users specified by the first user.

- 14. (Original) The system of claim 13, wherein the one or more second users is a single second user preselected by the first user.
- 15. (Original) The system of claim 13, wherein the one or more second users is a group of second users preselected by the first user.
- 16. (Currently Amended) The system of claim 13, wherein the information handling system is [[for]] <u>further configured to</u>:

in response to a command from the first user before saving the displayed excerpt, selectively enabling enable access to the selected folder by the one or more second users specified by the first user.

 (Currently Amended) The system of claim 13, wherein the information handling system is [[for]] <u>further configured to</u>: in response to a command from the first user after saving the displayed excerpt, selectively enabling enable access to the selected folder by the one or more second users specified by the first user.

 (Currently Amended) The system of claim 13, wherein the information handling system is [[for]] <u>further configured to</u>:

associating associate other information with the saved excerpt in the folder, so that access to the saved excerpt includes access to the other information.

- 19. (Original) The system of claim 18, wherein the other information has a non-XML format.
- (Original) The system of claim 18, wherein the other information is a human-readable text message.
- (Original) The system of claim 18, wherein the other information is a hyperlink to a
  website.
- (Currently Amended) The system of claim 13, wherein the information handling system is [[for]] <u>further configured to</u>:

saving save the displayed excerpt of the XML-formatted information in an XML format.

 (Currently Amended) The system of claim 13, wherein the information handling system is [[for]] <u>further configured to</u>:

displaying display the excerpt of the XML-formatted information in a non-XML format.

- 24. (Original) The system of claim 23, wherein the non-XML format is an HTML format.
- 25. (Currently Amended) A computer readable medium having stored thereon a set of instructions, which when executed by a computer having a processor and <u>a</u> memory, cause the computer to perform operations, the operations comprising:

in response to a first command from a first user, retrieve retrieving by the first remote server information, about one or more websites, the one or more websites being hosted on one or more second remote servers different from the first remote server;

provide providing, by the first remote server, a user terminal with an except of the information in an XML-format to allow the user terminal to access one of the one or more websites for display on a user display device:

transmitting, by the first remote server to the user terminal, a list of folders to simultaneously display on the user display device with the excerpt of the XML-formatted information, the list of folders including at least one of a public folder and a group folder;

in response to a second command from the first user, saving in the first remote server the displayed excerpt of the XML-formatted information in a folder that is selected by the first user from among the displayed list of folders; and

in response to a third command from the first user, selectively enable enabling access to the selected folder including the excerpt of the XML-formatted information, via the first remote server, by one or more second users specified by the first user.

- (Previously Presented) The computer readable medium of claim 25, wherein the one or more second users is a single second user preselected by the first user.
- 27. (Previously Presented) The computer readable medium of claim 25, wherein the one or more second users is a group of second users preselected by the first user.
- 28. (Currently Amended) The computer readable medium of claim 25, wherein the emputer program is processable by the information handling system for causing the information handling system to operations further comprise:

in response to a command from the first user before saving the displayed excerpt, selectively enable enabling access to the selected folder by the one or more second users specified by the first user.

29. (Currently Amended) The computer readable medium of claim 25, wherein the emputer program is processable by the information handling system for causing the information handling system to operations further comprise:

in response to a command from the first user after saving the displayed excerpt, selectively enable enabling access to the selected folder by the one or more second users specified by the first user.

30. (Currently Amended) The computer readable medium of claim 25, wherein the emputer program is processable by the information handling system for causing the information handling system to operations further comprise:

associate associating other information with the saved excerpt in the folder, so that access to the saved excerpt includes access to the other information.

- (Previously Presented) The computer readable medium of claim 30, wherein the other information has a non-XML format.
- (Previously Presented) The computer readable medium of claim 30, wherein the other information is a human-readable text message.
- (Previously Presented) The computer readable medium of claim 30, wherein the other information is a hyperlink to a website.
- 34. (Currently Amended) The computer readable medium of claim 25, wherein the emputer program is processable by the information handling system for causing the information handling system to operations further comprise:

save saving the displayed excerpt of the XML-formatted information in an XML format.

35. (Currently Amended) The computer readable medium of claim 25, wherein the emputer program is processable by the information handling system for causing the information handling system to operations further comprise:

displaying the excerpt of the XML-formatted information in a non-XML format.

 (Previously Presented) The computer readable medium of claim 35, wherein the non-XML format is an HTML format.

37-39. (Canceled)

- 40. (Currently Amended) The method of claim 1, wherein the selectively enabling access to the selected folder by <u>the</u> one or more second users is provided regardless of whether the first user is online.
- 41. (Previously Presented) The method of claim 1, further comprising receiving, from the user terminal, a web page address to retrieve the excerpt of XML-formatted information, about one or more websites, from the first storage device maintained at the first remote server, prior to providing the user terminal with the excerpt of XML-formatted information.
- (Previously Presented) The method of claim 1, further comprising: in response to a search term query, providing search results of a list of web pages comprising the queried search term; and

receiving, from the user terminal, a selection of a web page from the list of web pages, prior to providing the user terminal with the excerpt of XML-formatted information.